



Your ideal supporting structure for advertisement

UNIVERSAL STRETCHED CANVAS SYSTEM



www.ovio-system.com

Support

The revolutionary OVIO® structures: a must for large format advertisements



User-friendly support designed for professionals

Ultra-simple placement, incredible design, stands up to everything... Born of our considerable experience in the sector of communication through giant printed imagery, these supports will rapidly win you over with their innovative features. Read on.

A 'high-tech' design

Aesthetic and discreet, OVIO® is the ideal supporting structure to enhance visual advertisements. It gives them more space to express themselves, and provides them with a nice high-tech touch.

Installation that is 'so easy'

You're not going to believe it! You've never seen a stretched canvas system that is so high performance and so simple to install! Maximum effectiveness in a minimum amount of time, with a minimum of staff members and tools.

'Very strong' resistance

In glacial weather, in major winds, in a heat wave, you will always be able to count on OVIO®. The system was designed to stand up to extreme temperatures and environments (from - 35°C to + 80°C). Its rigid self-supporting structure further increases its resistance.

Other advantages?

The OVIO® system requires very little storage space. It features an exclusive clips technique. The canvas is under perfect tension.

Cable ties and elastic bands are a thing of the past...

Choose innovation and become an exclusive OVIO® partner!



*“ A beautifully-wrapped gift
is half the pleasure! „*

Design

An exceptional advertisement, an exceptional supporting system



Who said that a beautiful advertisement was enough by itself? Its effectiveness is indissolubly linked to its support. This is why it is very important to choose it well. But don't you think the OVIO® structure looks like a plasma screen?

Designer, high-tech and restrained... Everything that is needed to magnify a large format advertisement!

It's even more beautiful, because...

- The eyelets and fasteners are completely masked
- The canvas remains correctly stretched



“ Sometimes, it’s good to keep things simple „

Easy

It’s simple, it’s flexible, it’s OVIO®...



The new OVIO® stretched canvas system offers impressive flexibility and effectiveness. Many years of thought and discussion by its designers have made it possible to design the advertising tool that is best adapted to large format advertisements.

Our innovation will make your life easier

Did you know that in Italian “ovio” means “obvious”? Thanks to a basic kit including a single profile section and a few assembly parts, setting up OVIO® structures is really easy. Your installation costs will be greatly reduced, especially since the number of fasteners is limited.

The system consists of a profile section and an OVIO® clip. The profile section defines the frame intended to receive the canvas, while the clip makes it possible to stretch it in the frame using a special key that is supplied to you.

Flexible , flexible...

- You can cut to measure to the centimetre using our special saw. Simply join together...
- The OVIO® structure can be mounted on a wall or on a footed pole.

Other irresistible advantages?

- Save precious time when assembling.
- Storage space and costs are significantly reduced.



“We will resist! ”

Strong

May the force be with OVIO®...



What good is a magnificent advertisement on a great supporting structure if it blows away in the second gust of wind?

Thanks to OVIO®, you will sleep peacefully

Whether in wind, or snow, or rain or extremely hot weather, this system keeps its perfect appearance. And it makes no difference how long it is displayed! The canvas maintains its original beauty and stays correctly stretched.

Its stability is equalled only by its robustness

The profile section of extra-rigid aluminium ensures the flawless stability of OVIO® structures. In addition, the frame is self-supporting, which further strengthens the system.

Final specification

OVIO® structures are TÜV-certified, in compliance with the EUROCODE 1991-1-4 standard.

A detailed range of applications is available on request.



CERTIFIED

Ciné

CAFE

USA
NEW YORK



UN PLAN SANS ACCROC.



**L'AGENCE
TOUS RISQUES**
LE 16 JUN
AU CINÉMA

PLUG

WWW.LAGENCETOUSRISQUES-LEFILM.COM

ovio-system.com

Benefits

Still more benefits...



When 'less storage space required' means 'savings'!

Compared to a traditional stretched canvas system, requiring the purchase of different lengths of tubing, OVIO® offers the considerable benefit of being able to be cut to the exact lengths you require, thanks to our special saw. This means you can save workshop space and only buy what you actually need!

Clip innovation

OVIO®'s major innovation is its clip system. Very rugged and easy to position, they offer unmatched durability and reduce your positioning costs.

Outstanding finishing


The canvas is perfectly tensioned thanks to the OVIO® system. Give your advertising an even more professional look!



Technical specifications

OVIO®, universal stretched canvas system

Positioning the OVIO® clip



Benefits

- Design** > Attractive and discrete
- Easy** > Easy to build and install
- Strong** > Excellent mechanical durability

Instructions


Assembling the frame



1. Cut out the section to the required size of the frame.
2. Assemble these uprights with the OVIO® joining elements using a 10 mm spanner.
3. For external use, drill water drainage holes in the lower horizontal upright.
4. Secure the frame to the wall or pole.

N.B. Ensure there is a fixing point at least every 3 metres.


Positioning and tensioning the canvas in the OVIO® section



Technical data

OVIO® section: aluminium
OVIO® clips: high-strength polymer
Spot resistance: 820 N
Application temperature: from -35°C to +80°C

Preparing the canvas



The size of the canvas must be equal to the overall size of the frame less 10 cm.


Example: OVIO® frame 5 x 2 m > canvas 4.90 x 1.90 m
(including 10 cm internal margin on the perimeter)

The canvas must include eyelets (internal diameter 15 mm), positioned every 40 cm along the perimeter.

The eyelets must be positioned 8 cm from the corners.

Technical specifications

OVIO® components



COMPONENTS	CODE	DESCRIPTION
1	OVP PROFILE 1.2	OVIO® profile section, length 6 metres
2	OVP CLIPS	OVIO® clips, 1 set of 2 pieces to interlock the sheet to the profile section
3	OV KIT ANGLE 90	OVIO® attachment kit for 90° angle
4	OV KIT JONCTION	OVIO® attachment kit for joining 2 profile sections on the same frame
5	OVP RACCORD ACCESSOIRE	OVIO® fastener for attaching an accessory to the profile section
6	OV KIT POTEAU	OVIO® pole fixing kit: for rectangular pole of 20 x20 cm maximum
7	OV KEY BASE	OVIO® key for installing the fabric in the section and for dismantling it
8	OV KEY TAKE OUT	OVIO® professional key for frequent use. For quick and easy dismantling of the canvas
9	OV KEY POWER	OVIO® professional key for frequent use. Offers optimal tensioning of your XXL canvas without any effort
10	OVP SCIE CIRCULAIRE	Circular saw for cutting the OVIO® profile section at a 45° or 90° angle
11	OV HQI 150 + POTENCE 50 CM	HQI 150 w spotlight mounted on OVIO® 50 cm overhead signpost
12	OV HQI 150 + POTENCE 100 CM	HQI 150 w spotlight mounted on OVIO® 100 cm overhead signpost

Description



The system comprises the OVIO® section and the OVIO® clips. The OVIO® section defines the frame designed to hold the canvas. The OVIO® clips enable the canvas to be stretched in the frame using the special tools or 'keys'.

Strong

Limited storage

Exclusive technic



Easy

Design

Impeccable completion



CERTIFIED

Créadhésif - Rue de Soleure 6a - 2740 Moutier
032 493 14 77 - info@creadhesif.ch - www.creadhesif.ch